



Application Number

IDS Flag Clearance for Application

**IDS
Information**

| Content | Mailroom Date | Entry Number | IDS Review | Reviewer |
|---------|---------------|--------------|-------------------------------------|------------------------------|
| M844 | 06-29-2004 | 8 | <input checked="" type="checkbox"/> | 11-17-2005 12:00:14 HSawhney |
| M844 | 01-17-2006 | 13 | <input checked="" type="checkbox"/> | 01-26-2006 11:34:03 dprice |

10/500,504 INTERFERENCE SEARCH HISTORY PRINTOUT

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|---|----------|------------------|
| 1 | BRS | L1 | 0 | ((video projection system) and (light source) and reflector and ((rotat\$5 (color wheel)) with (light transmitting) segments) and red and green and blue and stationary and (rotating or rotatable) and (lighting mode) and (projection mode)).clm. | US-PGPUB | 2006/04/26 15:57 |

| | Type | Hits | Search Text | DBs |
|----|------|--------|--|--|
| 1 | IS&R | 1 | ("6113252").PN. | USPAT |
| 2 | BRS | 1 | ("5590955").PN. | US-PGPUB; USPAT; USOCR |
| 3 | BRS | 5 | ("6113252").URPN. | USPAT |
| 4 | BRS | 316487 | (light source) or lamp | USPAT |
| 5 | BRS | 569 | reflector with concentrat\$5 with beam | USPAT |
| 6 | BRS | 1633 | color wheel | USPAT |
| 7 | BRS | 2 | (color wheel) with (light transmit\$5 segments) | USPAT |
| 8 | BRS | 2 | (color wheel) same (light transmit\$5 segments) | USPAT |
| 9 | BRS | 1633 | S6 or S7 | USPAT |
| 10 | BRS | 148 | S9 with (motor with driv\$4) | USPAT |
| 11 | BRS | 262567 | control with (rotation or speed or revolutions) | USPAT |
| 12 | BRS | 72397 | motor with S11 | USPAT |
| 13 | BRS | 80 | S9 and S12 | USPAT |
| 14 | BRS | 24 | S9 and S12 and dichroic | USPAT |
| 15 | BRS | 24 | S9 and S12 and dichroic and lens | USPAT |
| 16 | BRS | 20 | S9 and S12 and dichroic and lens and display | USPAT |
| 17 | BRS | 1 | "500504".ap. | US-PGPUB |
| 18 | IS&R | 13 | ((("4779176") or ("4800474") or ("5590954") or ("4392187") or ("4980806") or ("3594566") or ("4899267") or ("5089946") or ("5333102") or ("1827797") or ("32091306") or ("4701833") or ("5367444") or ("5590955")).PN. | USPAT |
| 19 | IS&R | 5 | ((("6113252") or ("5706061") or ("5590955") or ("4779176") or ("4800474")).PN. | USPAT |
| 20 | BRS | 2 | (video projection mode) and (lighting mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 21 | IS&R | 1 | ("6108053").PN. | USPAT |
| 22 | BRS | 0 | EP-0757278 A.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS | 0 | EP0757278 A.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS | 0 | EP "0757278" A-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS | 0 | EP-0757278 A-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 0 | EP-0757278-\$.did. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 0 | EP757278.did. | EPO; DERWENT |
| 28 | BRS | 0 | EP-757278.did. | EPO; DERWENT |
| 29 | BRS | 2 | EP-757278-\$.did. | EPO; DERWENT |

| | | | | |
|----|------|---|-----------------|-------|
| 30 | IS&R | 1 | ("5758956").PN. | USPAT |
|----|------|---|-----------------|-------|

| | Type | Hits | Search Text | DBs |
|----|------|------|---|--|
| 31 | IS&R | 0 | ((color wheel) with stationary) and ((color wheel) with (video projection)).PN. | USPAT |
| 32 | BRS | 3 | ((color wheel) with stationary) and ((color wheel) with (video projection)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 33 | IS&R | 1 | ("6527459").PN. | USPAT |
| 34 | BRS | 2369 | 353/84,31,63-67.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 478 | 348/743,742.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS | 2761 | S34 or S35 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 1269 | S36 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 22 | S36 and @ad < "20020102" and (color wheel) and motor and control and S4 and reflector | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS | 80 | S36 and @ad < "20020102" and (color wheel) and motor and control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 54 | ((color wheel) with (stationary or stop\$4)) and ((color wheel) with (revolving or rotating)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 20 | ((color wheel) with (stationary or stop\$4)) and ((color wheel) with (revolving or rotating)) and motor and reflector and control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 0 | (color wheel) with (stopped or stationary) with (mark\$4 position) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 43 | BRS | 0 | (color wheel) same (stopped or stationary) same (mark\$4 position) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 27 | (color wheel) with (spot light) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 12 | ((color wheel) with (spot light)) and ((color wheel) with rotating) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 15 | (spot light) and (video projection) and (color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 6 | (spot light) and (video projection) and (color wheel) and motor and control and lens | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 48 | BRS | 7 | S46 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 0 | S46 and "6113252".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|--|
| 50 | BRS | 2 | "6113252".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 51 | BRS | 0 | (spot light) and ((color wheel) same stationary same (rotatating or rotatable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS | 181 | (spot light) and (color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 53 | BRS | 90 | (spot light) and (color wheel) and motor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS | 46 | (spot light) and (color wheel) and motor and S4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 55 | BRS | 22 | (spot light) and (color wheel) and motor and S4 and reflector | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 7 | ("3757106" "4294524" "4627696" "4812034" "4832461" "4891738" "4899267").PN. | US-PGPUB; USPAT; USOCR |
| 57 | BRS | 15 | ("5113332").URPN. | USPAT |
| 58 | BRS | 1106 | (color wheel) and S4 | USPAT |
| 59 | BRS | 388 | (color wheel) and S4 and reflector | USPAT |
| 60 | BRS | 19 | (color wheel) and S4 and reflector and 362/277,282,276,319.ccls. | USPAT |
| 61 | BRS | 947 | (color wheel) and motor and control | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS | 15 | (color wheel) and (spot light) and video (projection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 0 | (color wheel) and (spot light projection) and video (projection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 0 | (color wheel) and (spot light projection) and (video projection) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 35 | (color wheel) and (light projector) and (video projector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 66 | BRS | 581 | (color wheel) and (rotatable or rotating) and (stationary or stopped or stop) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 67 | BRS | 56 | ((color wheel) with (rotatable or rotating)) and (color wheel with (stationary or stopped or stop)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS | 1 | (spot light projector) and (video projector) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS | 1 | (spot light) same ((stationar or stop\$5) same (color wheel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|----|-----|---|--|--|
| 70 | BRS | 8 | (video projector) same ((rotating or rotatable) color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
|----|-----|---|--|--|

| | Type | Hits | Search Text | DBs |
|----|------|------|--|--|
| 71 | BRS | 0 | S69 and S70 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS | 76 | ((spot light) and ((stationar or stop\$5) and (color wheel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS | 33 | ((video projector) and ((rotating or rotatable) with color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS | 0 | S72 and S73 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS | 9 | S61 and ((sensor or signal) with (stop\$3 or stationay) with (color wheel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 76 | BRS | 45 | ((color wheel) with ((stationary) or "at rest") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS | 686 | ((color wheel) with ((stationary) or "at rest" or position\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS | 765 | ((color wheel) with (rotating or moving) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS | 261 | S77 and S78 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 80 | BRS | 2 | ((color wheel) with (light transmit\$5 segments) | USPAT |
| 81 | BRS | 184 | ((color wheel) with (segments) | USPAT |
| 82 | BRS | 61 | S79 and S81 | USPAT |
| 83 | BRS | 49 | S82 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 84 | BRS | 45 | ((color wheel) with ((stationary) or "at rest") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 85 | BRS | 50 | ((color wheel) with ((stationary) or "at rest" or (fixed position)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS | 40 | S78 and S85 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 87 | BRS | 14 | S86 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 88 | BRS | 0 | GB-1400281.did. | EPO; DERWENT; IBM_TDB |
| 89 | BRS | 0 | GB1400281.did. | EPO; DERWENT; IBM_TDB |
| 90 | BRS | 1 | GB-1400281-\$.did. | EPO; DERWENT; IBM_TDB |
| 91 | BRS | 1 | GB-1395075-\$.did. | EPO; DERWENT; IBM_TDB |

| | | | | |
|----|-----|---|--------------------|--------------------------|
| 92 | BRS | 0 | GB-1236522-\$.did. | EPO; DERWENT; IBM_TDB |
|----|-----|---|--------------------|--------------------------|

| | Type | Hits | Search Text | DBs |
|-----|------|------|--|--|
| 93 | BRS | 0 | GB-1212173-\$.did. | EPO; DERWENT; IBM_TDB |
| 94 | BRS | 0 | GB-1201487-\$.did. | EPO; DERWENT; IBM_TDB |
| 95 | BRS | 2 | GB-2075720-\$.did. | EPO; DERWENT; IBM_TDB |
| 96 | BRS | 0 | {stage or theatr\$4} and {(color wheel) with desired with position\$5} | EPO; DERWENT; IBM_TDB |
| 97 | BRS | 3 | {stage or theatr\$4} and {(color wheel) with position\$5} | EPO; DERWENT; IBM_TDB |
| 98 | BRS | 0 | combination with (video project\$3) with (spot light project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 99 | BRS | 5 | (video project\$3) same (spot light project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 100 | BRS | 28 | (video project\$3) and (spot light project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 101 | BRS | 28 | (video project\$3) and (spot light project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 102 | BRS | 1 | S102 and (color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 103 | BRS | 236 | (video project\$3) and (color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 104 | BRS | 63 | (video project\$3) and {(rotating or rotatable) with (color wheel)} | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 105 | BRS | 2 | S105 and (stationary with (color wheel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 106 | BRS | 15 | ("20020105729" "4800474" "5233385" "5448314" "5592188" "5650832" "5680180" "5777694" "5784038" "5805243" "5863125" "6054832" "6147720" "6334685" "6461001").PN. | US-PGPUB; USPAT; USOCR |
| 107 | BRS | 0 | ("6726333").URPN. | USPAT |
| 108 | BRS | 4 | (video project\$3) with (spot light project\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 109 | BRS | 2370 | 353/63-67,84,31.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 110 | BRS | 843 | 348/739,771,743,742.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 111 | BRS | 3106 | S109 or S110 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|-----|-----|------|---------------------------|--|
| 112 | BRS | 1468 | S111 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|------|---------------------------|--|

| | Type | Hits | Search Text | DBs |
|-----|------|---------|---|--|
| 113 | BRS | 6 | S112 and ((color wheel) with stationary) and ((color wheel) with (rotating or rotatable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 114 | BRS | 9 | "362"/\$.ccls. and ((color wheel) with stationary) and ((color wheel) with (rotating or rotatable)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 115 | BRS | 13 | ("2848671" "2943185" "3104815" "3769503" "3949213" "3967170" "4617498" "5394309" "6002216" "6379025").PN. | US-PGPUB; USPAT; USOCR |
| 116 | BRS | 1 | ("6811286").URPN. | USPAT |
| 117 | IS&R | 1 | ("6108053").PN. | USPAT |
| 118 | BRS | 0 | EP-0757278-\$.did. | EPO; DERWENT |
| 119 | BRS | 0 | EP 0757278-\$.did. | EPO; DERWENT |
| 120 | BRS | 0 | EP-00757278-\$.did. | EPO; DERWENT |
| 121 | BRS | 37 | (color wheel) same stationary same (rotating or rotatable or rotates) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 122 | BRS | 262 | (color wheel) and stationary and (rotating or rotatable or rotates) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 123 | BRS | 1034379 | (light source) or lamp | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 124 | BRS | 97782 | S123 and reflector | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 125 | BRS | 81 | S124 and S122 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 126 | BRS | 72 | S124 and S122 and project\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 127 | BRS | 41 | S125 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 128 | BRS | 1 | "257844".ap. | US-PGPUB |
| 129 | BRS | 0 | (color wheel) and ("5706061" or "6379025").pn. | US-PGPUB |
| 130 | BRS | 4 | (color wheel) and ("5706061" or "6379025").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 131 | BRS | 2 | (color wheel) and ("5706061" or "6379025").pn. | USPAT |
| 132 | BRS | 681 | 362/269.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 133 | BRS | 2609 | 362/269,293.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 134 | BRS | 319 | 348/743.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|-----|-----|------|--------------|--|
| 135 | BRS | 2915 | S133 or S134 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|------|--------------|--|

| | Type | Hits | Search Text | DBs |
|-----|------|------|--|--|
| 136 | BRS | 0 | 4and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 137 | BRS | 1190 | S135 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 138 | BRS | 1635 | color wheel | USPAT |
| 139 | BRS | 113 | S137 and S138 and (lamp or (light source)) | USPAT |
| 140 | BRS | 4721 | 362/268,272,277,282-284,308-311,322-324.ccls. | USPAT |
| 141 | BRS | 150 | 348/742.ccls. | USPAT |
| 142 | BRS | 1262 | 353/31,84,63-67.ccls. | USPAT |
| 143 | BRS | 6074 | S140 or S141 or S142 | USPAT |
| 144 | BRS | 2879 | S143 and @ad < "20020102" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 145 | BRS | 153 | S144 and S138 and (lamp or (light source)) | USPAT |
| 146 | BRS | 92 | S145 not S139 | USPAT |
| 147 | BRS | 67 | (projection mode) and (light\$4 mode) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 148 | BRS | 9 | (projection mode) and (light\$4 mode) and ("353"/\$.ccls. or "362"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 149 | BRS | 1 | (projection adj mode) and (light\$4 adj mode) and ("353"/\$.ccls. or "362"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 150 | BRS | 0 | (projection adj mode) and (lighting adj mode) and ("353"/\$.ccls. or "362"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 151 | BRS | 1 | (projection adj mode) and ((lighting or illumination) adj mode) and ("353"/\$.ccls. or "362"/\$.ccls.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 152 | BRS | 9397 | (digital micromirror device) or "DMD" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 153 | BRS | 2 | "6719433".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 154 | BRS | 0 | ((projection adj mode) and ((lighting or illumination) adj mode)) and S154 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 155 | BRS | 0 | ((lighting or illumination) adj mode) and S154 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 156 | BRS | 80 | S154 | US-PGPUB; USPAT |
| 157 | BRS | 59 | S154 and wheel | US-PGPUB; USPAT |
| 158 | BRS | 0 | S154 and (wheel with segments) | US-PGPUB; USPAT |
| 159 | BRS | 28 | S154 and (color wheel) | US-PGPUB; USPAT |
| 160 | BRS | 86 | Belliveau- Richard- S.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|-------|--|--|
| 161 | BRS | 36 | (color wheel) with (clear segment) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 162 | BRS | 2 | "899635".ap. | US-PGPUB |
| 163 | BRS | 2 | "899637".ap. | US-PGPUB |
| 164 | BRS | 4 | S162 or S163 | US-PGPUB |
| 165 | BRS | 0 | S165 and rotat\$3 and (stop\$3 with (predetermined (position or setting))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 166 | BRS | 7 | S165 and rotat\$3 and stop\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 167 | BRS | 79 | (color wheel) with ((clear or white or open) segment) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 168 | IS&R | 5 | ((("4779176") or ("4800474") or ("5590954") or ("4392187") or ("4980806"))).PN. | USPAT |
| 169 | IS&R | 1 | ("6453067").PN. | USPAT |
| 170 | BRS | 18 | ("20010033364" "4704605" "5517335" "5798753" "5995448").PN. OR ("6453067").URPN. | US-PGPUB; USPAT; USOCR |
| 171 | BRS | 8305 | 362/268,272,277,282-284,308- 311,319,322-324.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 172 | BRS | 203 | 348/742.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 173 | BRS | 2389 | 353/31,63-67,102.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 174 | BRS | 10790 | S171 or S172 or S173 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 175 | BRS | 79 | (color wheel) with ((clear segment) or (white segment) or (clear colorless segment)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 176 | BRS | 26 | S174 and S175 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 177 | BRS | 2662 | 362/269,293.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 178 | BRS | 509 | 353/84.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 179 | BRS | 337 | 348/743.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 180 | BRS | 3398 | S177 or S178 or S179 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |

| | | | | |
|-----|-----|------|----------------------|--|
| 181 | BRS | 3398 | S177 or S178 or S179 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
|-----|-----|------|----------------------|--|

| | Type | Hits | Search Text | DBs |
|-----|------|------|---|--|
| 182 | BRS | 348 | S181 and (color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 183 | BRS | 79 | S175 and (color wheel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB |
| 184 | BRS | 0 | ((video projection system) and (light source) and reflector and ((rotat\$5 (color wheel)) with (light transmitting) segments) and red and green and blue and stationary and (rotating or rotatable) and (lighting mode) and (projection mode)).clm. | US-PGPUB |